



MESON ROUND 190 WALLWASHER

Meson round 190 wallwasher is a high-quality LED recessed downlight with asymmetric light distribution. To ensure uniform lighting across the entire surface, the distance to the wall for wallwashers must not exceed 50-60 cm. The central unit can be rotated within the trim ring to adjust the beam direction.

- Provides uniform wall lighting
- The central unit can be rotated within the trim ring to adjust the spot direction
- Particularly suitable for retail lighting
- Low-glare lighting

Downloads

[Photometrics Meson round wallwasher](#)

Categories: [Downlights and recessed spotlights](#)



Downloads

[Photometrics Meson round wallwasher](#)

NOTES

ADDITIONAL INFORMATION

Isolatieklasse	Class II
Driver positie	Loose driver
Light control	1-10V dimming, Casambi dimming, DALI dimming
Producttoepassing	Education, Hospitality, Office, Public spaces
Oriëntatie	Down
Photobiological safety	IEC 62471: RG1 (low risc)
Ambient temperature	-20°C / +40°C
Primaire aansluitingen	BST 14i2, Europlug, On request, GST18i3, GST18i5 pastelblauw, On the driver
Shape	Round
Productkleur	On request
Emergency lighting	1 hour emergency power, Optional, Optional 1 hour autonomy self-test
Family	Meson
Energielabel	A++
Kleurconsistentie (SDCM)	SDCM=2
Voltage / frequency	220-240V, 50 / 60Hz
Material	Acrylic, Steel
Powerfactor	>0.9
Bevestiging	Recessed

