



MESON ROUND DIRECTABLE

Meson round directable is an LED recessed spotlight with a powerful LED. The directable spot unit can be easily adjusted up to 35°. The spot unit features a Jordan Alunova® reflector with spherical facets available in 24° or 40° beam.

- Spot adjustable up to 35° vertically and in all directions
- Equipped with a Jordan Alunova® reflector with spherical facets, available in 24° or 40° beam.
- With standard Ø190mm trim ring or Ø245mm refit trim ring for larger existing ceiling openings
- Wire-spring mounting allows for easy installation in suspended ceilings.




Downloads

[Photometrics Meson round directable](#)

Categories: [Downlights and recessed spotlights](#)



PRODUCT IMAGES



Meson round directable is an LED recessed spotlight with a powerful LED. The directable spot unit can be easily adjusted up to 35°. The spot unit features a Jordan Alunova® reflector with spherical facets available in 24° or 40° beam.

- Spot adjustable up to 35° vertically and in all directions
- Equipped with a Jordan Alunova® reflector with spherical facets, available in 24° or 40° beam.
- With standard Ø190mm trim ring or Ø245mm refit trim ring for larger existing ceiling openings
- Wire-spring mounting allows for easy installation in suspended ceilings.

Downloads

[Photometrics Meson round directable](#)

NOTES

ADDITIONAL INFORMATION

Driver positie	Loose driver
Oriëntatie	Down
Light control	1-10V dimming, Casambi dimming, DALI dimming
Producttoepassing	Education, Exhibition spaces, Hospitality, Office, Public spaces, Retail
Isolatieklasse	Class II
Kleurtemperatuur	Tunable White, 2700K, 3000K, 3500K, 4000K
Ambient temperature	-20°C / +40°C
Material	Acrylic, Steel
Productkleur	On request
Bevestiging	Recessed
Photobiological safety	IEC 62471: RG1 (low risc)
Emergency lighting	1 hour emergency power, Optional, Optional 1 hour autonomy self-test
Primaire aansluitingen	BST 14i2, Europlug, On request, GST18i3, GST18i5 pastelblauw, On the driver
Shape	Round
Family	Meson
Armaturefficiëntie	>125lm/W

